



Vaccine Schedule

Age at Visit	Vaccination Schedule
Birth	Hepatitis B [1 st of 3]
2 Weeks	*
2 Months	Vaxelis – (DTaP, Hib, IPV, Hep B) Pneumococcal [1 st of 4] Rotavirus Oral Administration [1 st of 3]
4 Months	Vaxelis – (DTaP, Hib, IPV, Hep B) Pneumococcal [2 nd of 4] Rotavirus Oral Administration [2 nd of 3]
6 Months	Vaxelis – (DTaP, Hib, IPV, Hep B) Pneumococcal [3 rd of 4] Rotavirus Oral Administration [3 rd of 3] FVA
9 Months	FVA
12 Months	Varicella [1 st of 2] MMR [1 st of 2] Hepatitis A [1 st of 2] Labs: Hemoglobin & Lead FVA
15 Months	DTaP [4 th of 5] Hib [4 th of 4] Pneumococcal [4 th of 4] FVA
18 Months	Hepatitis A [2 nd of 2] FVA
2 Years	Labs: Lead Level FVA
3 Years	FVA --Annual well visits after the age of 3--

Age at Visit	Vaccination Schedule
4-5 Years	DTaP [5 th of 5] ↪ Quadracel IPV [4 th of 4] MMR [2 nd of 2] ↪ Proquad Varicella [2 nd of 2] FVA
10 Years	Tdap Labs: Lipid Panel
11 or 12 Years	Meningococcal HPV*
16 Years	Meningococcal Meningococcal B Labs: Chlamydia & Gonorrhea
17 Years	Labs: Chlamydia & Gonorrhea
18 Years	Labs: HIV, Chlamydia & Gonorrhea
+	Influenza Vaccine should be given yearly to children 6 months through 18 years of age

Definitions

Hepatitis B = Hepatitis B Vaccine

DTaP = Diphtheria and Tetanus Toxoids, and Acellular Pertussis Vaccine

Hib = Haemophilus influenzae type b Conjugate Vaccine

IPV = Inactivated Poliovirus (polio vaccine)

Rotavirus

Pneumococcal (Prevnar 20) = Pneumococcal 20-valent Conjugate Vaccine

Hepatitis A = Hepatitis A Vaccine

MMR = Measles, Mumps, and Rubella Virus Vaccine

Varicella = (Chickenpox) Vaccine

TB = Tuberculosis Skin Test

Meningococcal = Menquadfi Vaccine

Meningococcal B = Bexsero Vaccine

Tdap = DTap for adolescents and adults

HPV = Human Papillomavirus Vaccine. *Two doses for ages 9-14. 3 doses for ages 15-26.

FVA = Fluoride Varnish Application

Our well visit and vaccination schedule is based on the Standard Vaccine Schedule recommended by CDC.